
FIRECRAFT



In many survival situations, the ability to start a fire can make the difference between living and dying. Fire can fulfill many needs. It can provide warmth and comfort. It not only cooks and preserves food, it also provides warmth in the form of heated food that saves calories our body normally uses to produce body heat. You can use fire to purify water, sterilize bandages, signal for rescue, and provide protection from animals. It can be a psychological boost by providing peace of mind and companionship. You can also use fire to produce tools and weapons.

Fire can cause problems, as well. The enemy can detect the smoke and light it produces. It can cause forest fires or destroy essential equipment. Fire can also cause burns and carbon monoxide poisoning when used in shelters.

Remember weigh your need for fire against your need to avoid enemy detection.

BASIC FIRE PRINCIPLES

To build a fire, it helps to understand the basic principles of a fire. Fuel (in a nongaseous state) does not burn directly. When you apply heat to a fuel, it produces a gas. This gas, combined with oxygen in the air, burns.

Understanding the concept of the fire triangle is very important in correctly constructing and maintaining a fire. The three sides of the triangle represent *air*, *heat*, and *fuel*. If you remove any of these, the fire will go out. The correct ratio of these components is very important for a fire to burn at its greatest capability. The only way to learn this ratio is to practice.

SITE SELECTION AND PREPARATION

You will have to decide what site and arrangement to use. Before building a fire consider—

- The area (terrain and climate) in which you are operating.
- The materials and tools available.
- Time: how much time you have?
- Need: why you need a fire?
- Security: how close is the enemy?

Look for a dry spot that—

- Is protected from the wind.
- Is suitably placed in relation to your shelter (if any).
- Will concentrate the heat in the direction you desire.
- Has a supply of wood or other fuel available. (See page 7-6 for types of material you can use.)

If you are in a wooded or brush-covered area, clear the brush and scrape the surface soil from the spot you have selected. Clear a circle at least 1 meter in diameter so there is little chance of the fire spreading.

If time allows, construct a fire wall using logs or rocks. This wall will help to reflector direct the heat where you want it (Figure 7-l). It will also reduce flying sparks and cut down on the amount of wind blowing into the fire. However, you will need enough wind to keep the fire burning.

CAUTION

Do not use wet or porous rocks as they may explode when heated.

In some situations, you may find that an underground fireplace will best meet your needs. It conceals the fire and serves well for cooking food. To make an underground fireplace or Dakota fire hole (Figure 7-2)–

- Dig a hole in the ground.
- On the upwind side of this hole, poke or dig a large connecting hole for ventilation.
- Build your fire in the hole as illustrated.




Figure 7-1. Types of fire walls.

If you are in a snow-covered area, use green logs to make a dry base for your fire (Figure 7-3). Trees with wrist-sized trunks are easily broken in extreme cold. Cut or break several green logs and lay them side by side on top of the snow. Add one or two more layers. Lay the top layer of logs opposite those below it.




Figure 7-2. Dakota fire hole.



Figure 7-3. Base for fire in snow-covered area.

FIRE MATERIAL SELECTION

You need three types of materials (Figure 7-4) to build a fire—tinder, kindling, and fuel.

Tinder is dry material that ignites with little heat —a spark starts a fire. The tinder must be absolutely dry to be sure just a spark will ignite it. If you only have a device that generates sparks, charred cloth will be almost essential. It holds a spark for long periods, allowing you to put tinder on the hot area to generate a small flame. You can make charred cloth by heating cotton cloth until it turns black, but does not burn. Once it is black, you must keep it in an airtight container to keep it dry. Prepare this cloth well in advance of any survival situation. Add it to your individual survival kit.

Kindling is readily combustible material that you add to the burning tinder. Again, this material should be absolutely dry to ensure rapid burning. Kindling increases the fire's temperature so that it will ignite less combustible material.

Fuel is less combustible material that burns slowly and steadily once ignited.

HOW TO BUILD A FIRE

There are several methods for laying a fire, each of which has advantages. The situation you find yourself in will determine which fire to use.

Tepee

To make this fire (Figure 7-5), arrange the tinder and a few sticks of kindling in the shape of a tepee or cone. Light the center. As the tepee burns, the outside logs will fall inward, feeding the fire. This type of fire burns well even with wet wood.

Lean-To

To lay this fire (Figure 7-5), push a green stick into the ground at a 30-degree angle. Point the end of the stick in the direction of the wind. Place some tinder deep under this lean-to stick. Lean pieces of kindling against the lean-to stick. Light the tinder. As the kindling catches fire from the tinder, add more kindling.

Birch bark Shredded inner bark from cedar, chestnut, red elm trees Fine wood shavings Dead grass, ferns, moss, fungi Straw Sawdust Very fine pitchwood scrapings Dead evergreen needles Punk (the completely rotted portions of dead logs or trees) Evergreen tree knots Bird down (fine feathers) Down seed heads (milkweed, dry cattails, bulrush, or thistle) Fine, dried vegetable fibers Spongy threads of dead puffball Dead palm leaves Skinlike membrane lining bamboo Lint from pocket and seams Charred cloth Waxed paper Outer bamboo shavings Gunpowder Cotton	Birch bark Shredded inner bark from cedar, chestnut, red elm trees Fine wood shavings Dead grass, ferns, moss, fungi Straw Sawdust Very fine pitchwood scrapings Dead evergreen needles Punk (the completely rotted portions of dead logs or trees) Evergreen tree knots Bird down (fine feathers) Down seed heads (milkweed, dry cattails, bulrush, or thistle) Fine, dried vegetable fibers Spongy threads of dead puffball Dead palm leaves Skinlike membrane lining bamboo Lint from pocket and seams Charred cloth Waxed paper Outer bamboo shavings Gunpowder			
Shredded inner bark from cedar, chestrut, red elm trees Fine wood shavings Dead grass, ferns, moss fungi Straw Sawdust Dead evergreen needles Punk (the completely rotted portions of dead logs or trees) Down seed heads (milkweed, dry cattails, bulrush, or thistle) Fine, dried vegetable fibers Spongy threads of dead puffball Dead palm leaves Skinlike membrane lining banboo Lint from pocket and seams Cupy inside (heart) of fallen tree trunks and large branches Proportion the inside of larger pieces Wood that has been doused with highly flammable materials, such as gasoline, oil, or wax Dried animal dung Animal fats Coal, oil shale, or oil lying on the surface Coal, oil shale, or oil lying on the surface Spint wood Heavy cardboard Pieces of wood removed from the inside of larger pieces Wood that has been doused with highly flammable materials, such as gasoline, oil, or wax Dry grasses twisted into bunches Dry grasses twisted into such the proposed in the proposed in the proposed in the proposed in the propose	Shredded inner bark from cedar, chestnut, red elm trees Fine wood shavings Dead grass, ferns, moss, fungi Straw Sawdust Dead evergreen needles Punk (the completely rotted portions of dead logs or trees) Evergreen tree knots Bird down (fine feathers) Down seed heads (milkweed, dry cattails, bulrush, or thistle) Fine, dried vegetable fibbers Spongy threads of dead puffball Dead palm leaves Skirilike membrane lining bamboo Lint from pocket and seams Charred cloth Waxed paper Outer bamboo shavings Spilt wood Heavy cardboard Heavy cardboard Heavy cardboard Pieces of wood removed from the inside of larger pleces Wood that has been doused with highly flammable materials, such as gasoline, oil, or wax Peat dry enough to burn (this may be found at the top of undercut banks) Dried animal dung Animal fats Coal, oil shale, or oil lying on the surface	Tinder	Kindling	Fuel
• lint	- CIN	Birch bark Shredded inner bark from cedar, chestnut, red elm trees Fine wood shavings Dead grass, ferns, moss, fungi Straw Sawdust Very fine pitchwood scrapings Dead evergreen needles Punk (the completely rotted portions of dead logs or trees) Evergreen tree knots Bird down (fine feathers) Down seed heads (milkweed, dry cattails, bulrush, or thistle) Fine, dried vegetable fibers Spongy threads of dead puffball Dead palm leaves Skinlike membrane lining bamboo Lint from pocket and seams Charred cloth Waxed paper Outer bamboo shavings Gunpowder Cotton	Small twigs Small strips of wood Split wood Heavy cardboard Pieces of wood removed from the inside of larger pieces Wood that has been doused with highly flammable materials, such as gasoline, oil, or wax	Dry, standing wood and dry, dead branches Dry inside (heart) of fallen tree trunks and large branches Green wood that is finely split Dry grasses twisted into bunches Peat dry enough to burn (this may be found at the top of undercut banks) Dried animal dung Animal fats Coal, oil shale, or oil lying

Figure 7-4. Materials for building fires.

Cross-Ditch

To use this method (Figure 7-5), scratch a cross about 30 centimeters in size in the ground. Dig the cross 7.5 centimeters deep. Put a large wad of tinder in the middle of the cross. Build a kindling pyramid above the tinder. The shallow ditch allows air to sweep under the tinder to provide a draft.

Pyramid

To lay this fire (Figure 7-5), place two small logs or branches parallel on the ground. Place a solid layer of small logs across the parallel logs. Add three or four more layers of logs or branches, each layer smaller than and at a right angle to the layer below it. Make a starter fire on top of the pyramid. As the starter fire burns, it will ignite the logs below it. This gives you a fire that burns downward, requiring no attention during the night.




Figure 7-5. Methods for laying fires.

There are several other ways to lay a fire that are quite effective. Your situation and the material available in the area may make another method more suitable.

HOW TO LIGHT A FIRE

Always light your fire from the upwind side. Make sure to lay your tinder, kindling, and fuel so that your fire will burn as long as you need it. Igniters provide the initial heat required to start the tinder burning. They fall into two categories: modem methods and primitive methods.

Modern Methods

Modem igniters use modem devices—items we normally think of to start a fire.

Matches

Make sure these matches are waterproof. Also, store them in a waterproof container along with a dependable striker pad.

Convex Lens

Use this method (Figure 7-6) only on bright, sunny days. The lens can come from binoculars, camera, telescopic sights, or magnifying glasses. Angle the lens to concentrate the sun's rays on the tinder. Hold the lens over the same spot until the tinder begins to smolder. Gently blow or fan the tinder into flame, and apply it to the fire lay.

Metal Match

Place a flat, dry leaf under your tinder with a portion exposed. Place the tip of the metal match on the dry leaf, holding the metal match in one hand and a knife in the other. Scrape your knife against the metal match to produce sparks. The sparks will hit the tinder. When the tinder starts to smolder, proceed as above.

Battery

Use a battery to generate a spark. Use of this method depends on the type of battery available. Attach a wire to each terminal. Touch the ends of the bare wires together next to the tinder so the sparks will ignite it.

Gunpowder

Often, you will have ammunition with your equipment. If so, carefully extract the bullet from the shell casing, and use the gunpowder as

tinder. A spark will ignite the powder. Be extremely careful when extracting the bullet from the case.

Primitive Methods

Primitive igniters are those attributed to our early ancestors.

Flint and Steel

The direct spark method is the easiest of the primitive methods to use. The flint and steel method is the most reliable of the direct spark methods. Strike a flint or other hard, sharp-edged rock edge with a piece of carbon steel (stainless steel will not produce a good spark). This method requires a loose-jointed wrist and practice. When a spark has caught in the tinder, blow on it. The spark will spread and burst into flames.

Fire-Plow

The fire-plow (Figure 7-7) is a friction method of ignition. You rub a hardwood shaft against a softer wood base. To use this method, cut a straight groove in the base and plow the blunt tip of the shaft up and down the groove. The plowing action of the shaft pushes out small




Figure 7-6. Lens method.

particles of wood fibers. Then, as you apply more pressure on each stroke, the friction ignites the wood particles.

Bow and Drill

The technique of starting a fire with a bow and drill (Figure 7-8) is simple, but you must exert much effort and be persistent to produce a fire. You need the following items to use this method:

- *Socket.* The socket is an easily grasped stone or piece of hardwood or bone with a slight depression in one side. Use it to hold the drill in place and to apply downward pressure.
- *Drill.* The drill should be a straight, seasoned hardwood stick about 2 centimeters in diameter and 25 centimeters long. The top end is round and the low end blunt (to produce more friction).
- Fire board. Its size is up to you. A seasoned softwood board about 2.5 centimeters thick and 10 centimeters wide is preferable. Cut a depression about 2 centimeters from the edge on one side of the board. On the underside, make a V-shaped cut from the edge of the board to the depression.




Figure 7-7. Fire-plow.

• *Bow.* The bow is a resilient, green stick about 2.5 centimeters in diameter and a string. The type of wood is not important. The bowstring can be any type of cordage. You tie the bowstring from one end of the bow to the other, without any slack.

To use the bow and drill, first prepare the fire lay. Then place a bundle of tinder under the V-shaped cut in the fire board. Place one foot on the fire board. Loop the bowstring over the drill and place the drill in the precut depression on the fire board. Place the socket, held in one hand, on the top of the drill to hold it in position. Press down on the drill and saw the bow back and forth to twirl the drill (Figure 7-8). Once you have established a smooth motion, apply more downward pressure and work the bow faster. This action will grind hot black powder into the tinder, causing a spark to catch. Blow on the tinder until it ignites.

Note: Primitive fire-building methods are exhaustive and require practice to ensure success.




Figure 7-8. Bow and drill.

HELPFUL HINTS

Use nonaromatic seasoned hardwood for fuel, if possible.

Collect kindling and tinder along the trail.

Add insect repellent to the tinder.

Keep the firewood dry.

Dry damp firewood near the fire.

Bank the fire to keep the coals alive overnight,

Carry lighted punk, when possible.

Be sure the fire is out before leaving camp.

Do not select wood lying on the ground. It may appear to be dry but generally doesn't provide enough friction.